

# AG

## *Aquaglide*



RESIDENTIAL TECH DECKS

## Residential

Aquaglide began making high-quality commercial grade products in 2008. At this time our primary customers were waterfront homeowners in search of products to enhance their lifestyle. When the Aquaglide 'Platinum' range was released, our objective was to take market share from Rave, a brand which, although dominant, had become complacent. This strategic move was a huge success, leaving Aquaglide thriving through the global economic downturn.

Once established as a leader in high-quality Residential products we looked to Commercial sales for growth, developed commercial-scale products and heavier construction technologies to stand up to the rigors of true commercial use. While this thrust has been a huge success, vaulting Aquaglide to global leadership in commercial aquapark products, we have failed to maintain a focus on where we came from, the Residential consumer.

Aquaglide makes quality inflatable products for the waterfront lifestyle, and this lifestyle embraces both Commercial use and Residential use. For the health of the brand, we need both. Furthermore, a successful range of consumer-oriented Residential products naturally compliments what we build in Paddlesports, and vice versa.

**Consequently, our objective for 2021 is to carve out and craft an innovative new range of products directed specifically at our longest-standing customer, the waterfront homeowner.**

And while we fully intend to compete head-to-head with brands like Rave, who filled the vacuum with traditional offerings like tramps and bouncers while we took our eye off this market, we also mean to offer a new vision for life on the water.



# SOAKER LOUNGE

Item Number: 585221119  
Dimensions: L 10' x W 8.75' x H 1'  
(3,05m L x 2,67m W x 0,32m H)

Box Dimensions: TBD

Made specifically for chillin' on the water with family or friends, the soaker lounge offers a little something for everyone. With four drink holders and a soaker mesh floor it's the perfect place for adults to enjoy a cool beverage, but it also makes a nice perimeter for younger kids to splash and play. Can be used as a stand-alone item or connected to any residential park on two sides.



USERS ADULT / CHILD	MAX WEIGHT CAPACITY KG   LBS.	MINIMUM WATER DEPTH	MIN. DISTANCE AWAY M   FT	MIN. TOTAL ANCHOR WEIGHT *	ANCHOR WEIGHT	NUMBER OF ANCHOR WEIGHTS	ANCHOR RINGS	2-METER VERTICAL MOORING LINES	D-RINGS	WORKING PRESSURE
5   6	363 kg (800 lbs.)	1,07m (3.5ft)	3,0m (10ft)	500 kg (1100 lbs.)	250 kg (550 lbs.) or equivalent holding	2	2	2 ITEM #: 58-5213008	2   2	MAIN [1] 1.2 psi (0,083 bar)

\*Weight recommendations are for anchoring in conditions that can have extreme weather, waves, etc.  
The weights recommended for anchoring in locations with calmer conditions such as lakes is approximately 30% less.  
The information contained within this document are recommendations ONLY. Actual weight used needs to be decided by an operator and/or owner based on particular conditions.  
© Copyright 2020 Aquaglide | Proprietary + Confidential










# LAZY LOUNGE

Item Number: 585221120  
Dimensions: L 8.9' x W 10.1' x H 1.5'  
(2,72m L x 3,09m W x 0,45m H)

Box Dimensions: TBD

This lounge is THE destination during the lazy days of summer. Spacious drop stitch platform has lounging room for two and seating for up to six people with a cushy backrest. Integrated soaker mesh footwell and four drink holders keep things cool when the going gets hot. Can be used as a stand-alone item or connected to any residential park on two sides.



USERS ADULT / CHILD	MAX WEIGHT CAPACITY KG   LBS.	MINIMUM WATER DEPTH	MIN. DISTANCE AWAY M   FT	MIN. TOTAL ANCHOR WEIGHT *	ANCHOR WEIGHT	NUMBER OF ANCHOR WEIGHTS	ANCHOR RINGS	2-METER VERTICAL MOORING LINES	D-RINGS	WORKING PRESSURE
6   6	363 kg (800 lbs.)	1,13m (3.7ft)	3,0m (10 ft)	500 kg (1100 lbs.)	250 kg (550 lbs.) or equivalent holding	2	2	2 ITEM #: 58-5213008	5   5	MAIN [1] 6.0 psi (0,414 bar), TUBE [2] 2.0psi (0,138bar)

\*Weight recommendations are for anchoring in conditions that can have extreme weather, waves, etc.  
The weights recommended for anchoring in locations with calmer conditions such as lakes is approximately 30% less.  
The information contained within this document are recommendations ONLY. Actual weight used needs to be decided by an operator and/or owner based on particular conditions.  
© Copyright 2020 Aquaglide | Proprietary + Confidential







**Aquaglide**



# RECOIL TRAMP 14.0

Item Number: 585221121  
Dimensions: L 14' x W 14' x H 2.5'  
(4,27m L x 4,27m W x 0,76m H)

Box Dimensions: TBD

Built for excellent bouncing performance, Recoil 14.0 is an ideal size trampoline for small families or younger users. Optimized for residential use, Recoil is made with fully welded, reinforced PVC construction and three-layer seams for years of use. Comes complete with rigid Octane frame, stainless springs, C-Deck boarding platform and 4-way anchor bridle. Includes attachments for optional slide and log accessories, plus connects to any residential park or additional accessories on two sides.



Shown with 50/50 log and Small Ricochet/Recoil Slide.  
\*sold separately

USERS ADULT / CHILD	MAX WEIGHT CAPACITY KG   LBS.	MINIMUM WATER DEPTH	MIN. DISTANCE AWAY M   FT	MIN. TOTAL ANCHOR WEIGHT *	ANCHOR WEIGHT	NUMBER OF ANCHOR WEIGHTS	ANCHOR RINGS	2-METER VERTICAL MOORING LINES	BRIDLE	STRAPS	D-RINGS	WORKING PRESSURE
Bouncing 1/1 Lounging 3/3	272 kg (600 lbs.)	2,44m (8ft)	4,5m (15 ft)	500 kg (1100 lbs.)	500 kg (1100 lbs.) or equivalent holding	1	0	1 ITEM #: 58-5213008	4-Way Bridle	3 vario (ss) w/ C-DECK (included)	5   5 2 (log), 4 slide	MAIN [1] 1.2 psi (0,083 bar)

\*Weight recommendations are for anchoring in conditions that can have extreme weather, waves, etc.  
The weights recommended for anchoring in locations with calmer conditions such as lakes is approximately 30% less.  
The information contained within this document are recommendations ONLY. Actual weight used needs to be decided by an operator and/or owner based on particular conditions.  
© Copyright 2020 Aquaglide | Proprietary + Confidential










# RECOIL TRAMP 17.0

Item Number: 585221122  
Dimensions: L 17' x W 17' x H 3'  
(5,18m L x 5,18m W x 0,91m H)

Box Dimensions: TBD

Built for superior bouncing performance, Recoil 17.0 is sizeable trampoline for the residential setting and easily accommodates larger families or friends. Made with fully welded, reinforced PVC construction and three-layer seams for years of residential use. Comes complete with rigid Octane frame, stainless springs, C-Deck boarding platform and 4-way anchor bridle. Includes attachments for optional slide and log accessories, plus connects to any residential park or additional accessories on two sides.



Shown Large Ricochet/Recoil Slide.  
\*sold separately

USERS ADULT / CHILD	MAX WEIGHT CAPACITY KG   LBS.	MINIMUM WATER DEPTH	MIN. DISTANCE AWAY M   FT	MIN. TOTAL ANCHOR WEIGHT *	ANCHOR WEIGHT	NUMBER OF ANCHOR WEIGHTS	ANCHOR RINGS	2-METER VERTICAL MOORING LINES	BRIDLE	D-RINGS	WORKING PRESSURE
Bouncing 3/3 Lounging 4/4	363 kg (800 lbs.)	2,44m (8ft)	4,5m (15 ft)	500 kg (1100 lbs.)	500 kg (1100 lbs.) or equivalent holding	1	0	1 ITEM #: 58-5213008	4-Way Bridle	5   5 2 (log), 4 slide	MAIN [1] 0.8 psi (0,055 bar)

\*Weight recommendations are for anchoring in conditions that can have extreme weather, waves, etc.  
The weights recommended for anchoring in locations with calmer conditions such as lakes is approximately 30% less.  
The information contained within this document are recommendations ONLY. Actual weight used needs to be decided by an operator and/or owner based on particular conditions.  
© Copyright 2020 Aquaglide | Proprietary + Confidential









# RICOCHET BOUNCER 12.0

Item Number: 585221123  
Dimensions: L 12' x W 12' x H 2.6'  
(3,68m L x 3,68m W x 0,79m H)

\*Also available in Ricochet 12.0 Aquapark,  
packaged complete with 12.0 bouncer, 12-14  
slide, 50-50 log and C-deck.

Box Dimensions: TBD

Optimized for maximum fun with minimal hassle, Ricochet 12.0 bouncer is a great alternative to a spring trampoline. One of our most popular products, the 12-foot diameter is ideally suited for small families. Fully welded, reinforced PVC construction with three-layer seams for years of use. Comes complete with C-Deck boarding platform and 4-way anchor bridle. Includes attachments for optional slide and log accessories, plus connects to any residential park or additional accessories on two sides.



USERS ADULT / CHILD	MAX WEIGHT CAPACITY KG   LBS.	MINIMUM WATER DEPTH	MIN. DISTANCE AWAY M   FT	MIN. TOTAL ANCHOR WEIGHT *	ANCHOR WEIGHT	NUMBER OF ANCHOR WEIGHTS	ANCHOR RINGS	2-METER VERTICAL MOORING LINES	BRIDLE	STRAPS	D-RINGS	WORKING PRESSURE
Bouncing 1/1 Lounging 3/3	272 kg (600 lbs.)	2,44m (8ft)	4,5m (15 ft)	500 kg (1100 lbs.)	500 kg (1100 lbs.) or equivalent holding	1	4	1  ITEM #: 58-5213008	4-Way Bridle	3 vario (ss) w/ C-DECK (included)	5   5 2 (log), 4 slide	MAIN [1] 1.2 psi (0,083 bar)


\*Weight recommendations are for anchoring in conditions that can have extreme weather, waves, etc.  
The weights recommended for anchoring in locations with calmer conditions such as lakes is approximately 30% less.  
The information contained within this document are recommendations ONLY. Actual weight used needs to be decided by an operator and/or owner based on particular conditions.  
© Copyright 2020 Aquaglide | Proprietary + Confidential







Aquaglide





# RICOCHET BOUNCER 16.0

Item Number: 585221124  
Dimensions: L 16' x W 16' x H 3'  
(4,88m L x 4,88m W x 0,91m H)

\*Also available in Ricochet 16.0 Aquapark,  
packaged complete with 16.0 bouncer,  
16-17 slide, 50-50 log and C-deck.

Box Dimensions: TBD

Ricochet 16.0 is an expansive bouncer with plenty of room for family and friends. Provides good bouncing characteristics and plenty of lounge space without the complexity of a metal frame and springs. Fully welded, reinforced PVC construction with three-layer seams for years of use. Comes complete with C-Deck boarding platform and 4-way anchor bridle. Includes attachments for optional slide and log accessories, plus connects to any residential park or additional accessories on two sides.



USERS ADULT / CHILD	MAX WEIGHT CAPACITY KG   LBS.	MINIMUM WATER DEPTH	MIN. DISTANCE AWAY M   FT	MIN. TOTAL ANCHOR WEIGHT *	ANCHOR WEIGHT	NUMBER OF ANCHOR WEIGHTS	ANCHOR RINGS	2-METER VERTICAL MOORING LINES	BRIDLE	STRAPS	D-RINGS	WORKING PRESSURE
Bouncing 3/3 Lounging 5/5	454 kg (1000 lbs.)	2,44m (8ft)	4,5m (15 ft)	500 kg (1100 lbs.)	500 kg (1100 lbs.) or equivalent holding	1	4	1 ITEM #: 58-5213008	4-Way Bridle	3 vario (ss) w/ C-DECK (included)	5   5 2 (log), 4 slide	MAIN [1] 1.2 psi (0,083 bar)

\*Weight recommendations are for anchoring in conditions that can have extreme weather, waves, etc.  
The weights recommended for anchoring in locations with calmer conditions such as lakes is approximately 30% less.  
The information contained within this document are recommendations ONLY. Actual weight used needs to be decided by an operator and/or owner based on particular conditions.  
© Copyright 2020 Aquaglide | Proprietary + Confidential









# LAUNCH BAG

Item Number: 585221125  
Dimensions: L 12' x W 5.4' x H 3.3'  
(3,66m L x 1,65m W x 1m H)

Box Dimensions: TBD

By far one of our most popular accessories, perhaps the best description for this product is “off the hook.” Truly the life of the party, the Launch Bag uses the forces of gravity and air pressure to blast people into the air. Fully welded, reinforced PVC construction with three-layer seams. Requires two users and an Aquaglide inflatable base feature such as a trampoline, bouncer or spire. Connects on one end and cannot be used as a stand-alone.



USERS ADULT / CHILD	MAX WEIGHT CAPACITY KG   LBS.	MINIMUM WATER DEPTH	MIN. DISTANCE AWAY M   FT	MIN. TOTAL ANCHOR WEIGHT *	ANCHOR WEIGHT	NUMBER OF ANCHOR WEIGHTS	ANCHOR RINGS	2-METER VERTICAL MOORING LINES	STRAPS	D-RINGS	WORKING PRESSURE
2   2	181 kg (400 lbs.)	2,44m (8ft)	12,0m (40ft)	0	100 kg (220 lbs.) or equivalent holding	1 (optional)	2 (optional)	1 ITEM #: 58-5213008	5 VARIO-LOCK STRAPS	5	WEDGE [1] 1.0 psi (0,069 bar), BAG [2] NO AIR PRESSURE - VALVE = 50% fill

\*Weight recommendations are for anchoring in conditions that can have extreme weather, waves, etc.  
The weights recommended for anchoring in locations with calmer conditions such as lakes is approximately 30% less.  
The information contained within this document are recommendations ONLY. Actual weight used needs to be decided by an operator and/or owner based on particular conditions.  
© Copyright 2020 Aquaglide | Proprietary + Confidential









# SMALL RICOCHET/RECOIL SLIDE

Item Number: 585221126  
Dimensions: L 7' x W 2' x H 4.6'  
(2,1m L x 0,6m W x 1,38m H)

Box Dimensions: TBD

Add loads of fun, and a whole new dimension to the Ricochet 12.0 bouncer or the Recoil 14.0 trampoline with this optional slide accessory. Specifically designed to connect with slide rings that come pre-installed on these items. Fully welded, reinforced PVC construction with three-layer seams. Not suitable for use as a stand-alone, and not intended for use with any other products. The slide is a must-have!



USERS ADULT / CHILD	MAX WEIGHT CAPACITY KG   LBS.	MINIMUM WATER DEPTH	MIN. DISTANCE AWAY M   FT	MIN. TOTAL ANCHOR WEIGHT *	ANCHOR WEIGHT	NUMBER OF ANCHOR WEIGHTS	STRAPS	2-METER VERTICAL MOORING LINES	D-RINGS	WORKING PRESSURE
1   1	114 kg (250 lbs.)	2,44m (8ft)	3,0m (10ft)	N/A	N/A	N/A	4 SLIDE STRAPS	1 ITEM #: 58-5213008	2   2	MAIN [1] 0.8 psi (0,055 bar)

\*Weight recommendations are for anchoring in conditions that can have extreme weather, waves, etc.  
The weights recommended for anchoring in locations with calmer conditions such as lakes is approximately 30% less.  
The information contained within this document are recommendations ONLY. Actual weight used needs to be decided by an operator and/or owner based on particular conditions.  
© Copyright 2020 Aquaglide | Proprietary + Confidential









# LARGE RICOCHET/RECOIL SLIDE

Item Number: 585221127  
Dimensions: L 8' x W 2' x H 5'  
(2,4m L x 0,6m W x 1,51m H)

Box Dimensions: TBD

Add loads of fun, and a whole new dimension to the Ricochet 16.0 bouncer or the Recoil 17.0 trampoline with this optional slide accessory. Specifically designed to connect with slide rings that come pre-installed on these items. Fully welded, reinforced PVC construction with three-layer seams. Not suitable for use as a stand-alone, and not intended for use with any other products. The slide is a must-have!



USERS ADULT / CHILD	MAX WEIGHT CAPACITY KG   LBS.	MINIMUM WATER DEPTH	MIN. DISTANCE AWAY M   FT	MIN. TOTAL ANCHOR WEIGHT *	ANCHOR WEIGHT	NUMBER OF ANCHOR WEIGHTS	STRAPS	2-METER VERTICAL MOORING LINES	D-RINGS	WORKING PRESSURE
1   1	114 kg (250 lbs.)	2,44m (8ft)	3,0m (10ft)	N/A	N/A	N/A	4 SLIDE STRAPS	1 ITEM #: 58-5213008	2   2	MAIN [1] 0.8 psi (0,055 bar)

\*Weight recommendations are for anchoring in conditions that can have extreme weather, waves, etc.  
The weights recommended for anchoring in locations with calmer conditions such as lakes is approximately 30% less.  
The information contained within this document are recommendations ONLY. Actual weight used needs to be decided by an operator and/or owner based on particular conditions.  
© Copyright 2020 Aquaglide | Proprietary + Confidential









# 50/50 LOG

Item Number: 585221128  
Dimensions: L 9.3' x W 1.6' x H 1.6'  
(2,84m L x 0,48m W x 0,48m H)

Box Dimensions: TBD

Another must-have accessory, the Log is called '50-50' because those may be your chances of reaching the end while still dry. A challenging balance feature that adds fun and diversity to any Recoil tramp or Ricochet bouncer. Connects with log rings that come pre-installed on these items. Not suitable for use as a stand-alone, and not intended for use with any other products.



REVISED CONNECTION

USERS ADULT / CHILD	MAX WEIGHT CAPACITY KG   LBS.	MINIMUM WATER DEPTH	MIN. DISTANCE AWAY M   FT	MIN. TOTAL ANCHOR WEIGHT *	ANCHOR WEIGHT	NUMBER OF ANCHOR WEIGHTS	STRAPS	ANCHOR RINGS	2-METER VERTICAL MOORING LINES	D-RINGS	WORKING PRESSURE
1   1	114 kg (250 lbs.)	1,21m (4ft)	3,0m (10ft)	0	100 kg (220 lbs.) <small>or equivalent holding</small>	1 Optional	2 VELCRO INTERLOCK	1 (optional)	1 <small>ITEM #: 58-5213008</small>	2	MAIN [1] 1.0 psi (0,069 bar)

\*Weight recommendations are for anchoring in conditions that can have extreme weather, waves, etc.  
The weights recommended for anchoring in locations with calmer conditions such as lakes is approximately 30% less.  
The information contained within this document are recommendations ONLY. Actual weight used needs to be decided by an operator and/or owner based on particular conditions.  
© Copyright 2020 Aquaglide | Proprietary + Confidential







Aquaglide

JG

SAVING LIVES



# VELOCITY SLIDE 10.0

Item Number: 585221129  
Dimensions: L 20.8' x W 9' x H 9.58'  
(6,35m L x 2,74m W x 2,92m H)

Box Dimensions: TBD

Not for the faint of heart - achieve maximum velocity! Optimized for residential use, the Velocity 10.0 features a ladder-style climbing wall leading to ten-foot high drop-zone for this breathtaking zero-entry slide. Interior mesh floor provides a shaded splash area for alternative playing or resting. Fully welded, reinforced PVC construction and three-layer seams for years of service. Can be used as a stand-alone or connected to any residential park on three sides.



USERS ADULT / CHILD	MAX WEIGHT CAPACITY KG   LBS.	MINIMUM WATER DEPTH	MIN. DISTANCE AWAY M   FT	MIN. TOTAL ANCHOR WEIGHT *	ANCHOR WEIGHT	NUMBER OF ANCHOR WEIGHTS	ANCHOR RINGS	2-METER VERTICAL MOORING LINES	D-RINGS	WORKING PRESSURE
4   4	363 kg (800 lbs.)	2,37 m (7.8ft)	4,5m (15ft)	4000 kg (8800 lbs.)	1000 kg (2200 lbs.) or equivalent holding	4	4	4 ITEM #: 58-5213008	5   5   5	MAIN [1] 1.8 psi (0,124 bar), SLIDE [2] 1.0 psi (0,069 bar), TOP TUBES [3] 1.8 psi (0,124 bar)

\*Weight recommendations are for anchoring in conditions that can have extreme weather, waves, etc.  
The weights recommended for anchoring in locations with calmer conditions such as lakes is approximately 30% less.  
The information contained within this document are recommendations ONLY. Actual weight used needs to be decided by an operator and/or owner based on particular conditions.  
© Copyright 2020 Aquaglide | Proprietary + Confidential









# VELOCITY SLIDE 6.0

Item Number: 585221130  
Dimensions: L 10' x W 10.2' x H 6'  
(3,05m L x 3,05m W x 2,80m H)

Box Dimensions: TBD

The Velocity 6.0 slide is ideal for families with younger kids. Optimized for residential use, this item features a ladder-style climbing wall leading to substantial six-foot drop-zone and zero-entry slide. Kids will spend hours enjoying the thrill of Velocity 6.0. Made with fully welded, reinforced PVC construction and three-layer seams for years of service. Can be used as a stand-alone or connected to any residential park on the entry side.



USERS ADULT / CHILD	MAX WEIGHT CAPACITY KG   LBS.	MINIMUM WATER DEPTH	MIN. DISTANCE AWAY M   FT	MIN. TOTAL ANCHOR WEIGHT *	ANCHOR WEIGHT	NUMBER OF ANCHOR WEIGHTS	ANCHOR RINGS	2-METER VERTICAL MOORING LINES	D-RINGS	WORKING PRESSURE
2   2	181 kg (400 lbs.)	1,83 m (6ft)	3,0m (10ft)	2000 kg (4400 lbs.)	500 kg (1100 lbs.) or equivalent holding	4	4	4 ITEM #: 58-5213008	5	MAIN [1] 1.8 psi (0,124 bar), SLIDE [2] 1.0 psi (0,069 bar), TOP TUBES [3] 1.8 psi (0,124 bar)

\*Weight recommendations are for anchoring in conditions that can have extreme weather, waves, etc.  
The weights recommended for anchoring in locations with calmer conditions such as lakes is approximately 30% less.  
The information contained within this document are recommendations ONLY. Actual weight used needs to be decided by an operator and/or owner based on particular conditions.  
© Copyright 2020 Aquaglide | Proprietary + Confidential





# SPIRE 6.8

Item Number: 585221130  
Dimensions: L 10' x W 10.1' x H 6.75'  
(3.08m L x 3.11m W x 2.06m H)

Box Dimensions: TBD

The Spire is nearly seven vertical feet of climbing, splashing, flying excitement. This multi-use play structure screams fun from every opening. Four climbing walls angle inward for stability while the meridian mesh floor creates an interior splash zone for creative play. Optimized for residential use, the Spire utilizes fully welded, reinforced PVC construction with three-layer seams for years of use. Can be used as a stand-alone or connected to residential park or accessories (like Launch Bag!) on up to four sides.



USERS ADULT / CHILD	MAX WEIGHT CAPACITY KG   LBS.	MINIMUM WATER DEPTH	MIN. DISTANCE AWAY M   FT	MIN. TOTAL ANCHOR WEIGHT *	ANCHOR WEIGHT	NUMBER OF ANCHOR WEIGHTS	ANCHOR RINGS	2-METER VERTICAL MOORING LINES	D-RINGS	WORKING PRESSURE
4   4	363 kg (800 lbs.)	1,94 m (6.4ft)	4,5m (15ft)	2000 kg (4400 lbs.)	500 kg (1100 lbs.) or equivalent holding	4	4	4 ITEM #: 58-5213008	5   5   5   5	MAIN [1] 2.0 psi (0,138 bar)

\*Weight recommendations are for anchoring in conditions that can have extreme weather, waves, etc.  
The weights recommended for anchoring in locations with calmer conditions such as lakes is approximately 30% less.  
The information contained within this document are recommendations ONLY. Actual weight used needs to be decided by an operator and/or owner based on particular conditions.  
© Copyright 2020 Aquaglide | Proprietary + Confidential







2G SPIRE 6.8

2G  
WATERSEATS

Aqua



# FULL DECK 15.0

Item Number: 585221131  
Dimensions: L 19.8' x W 5.1' x H 0.3'  
(6,04m L x 1,55m W x 0,10m H)

Box Dimensions: TBD

This fully welded 10cm dropstitch platform may not look like much as first glance, but don't let its placid appearance fool you. The fifteen foot long Full Deck is the full-meal-deal! Makes a superior replacement for foam mats, which are rough on sensitive skin and never last, but it can also be used as a walkway, slideway and boarding platform for any residential feature. Low-profile inflatable dropstitch is easy to board from the water and provides play value all on its own. Easily connects to park features on both ends.



USERS ADULT / CHILD	MAX WEIGHT CAPACITY KG   LBS.	MINIMUM WATER DEPTH	MIN. DISTANCE AWAY M   FT	MIN. TOTAL ANCHOR WEIGHT *	ANCHOR WEIGHT	NUMBER OF ANCHOR WEIGHTS	ANCHOR RINGS	STRAPS	D-RINGS	WORKING PRESSURE
4   4	363 kg (800 lbs.)	0,96m (3.2ft)	3,0m (10 ft)	N/A, 250kg Optional, 550 lbs Optional	N/A, 250kg Optional, 550 lbs Optional	N/A, 1 w/ 2way bridle	1	10 VARIO-LOCK	5   5	MAIN [1] 5.0 psi (0,345bar)

\*Weight recommendations are for anchoring in conditions that can have extreme weather, waves, etc.  
The weights recommended for anchoring in locations with calmer conditions such as lakes is approximately 30% less.  
The information contained within this document are recommendations ONLY. Actual weight used needs to be decided by an operator and/or owner based on particular conditions.  
© Copyright 2020 Aquaglide | Proprietary + Confidential









# HALF DECK 7.5

Item Number: 585221132  
Dimensions: L 7.5' x W 5.1' x H 0.3'  
(2,3m L x 1,55m W x 0,10m H)

Box Dimensions: TBD

Not to be outdone by its larger sibling, the Half Deck makes full use of its 7.5 foot length. Made of fully welded 10cm dropstitch, this inflatable platform does double-duty. It makes a superior replacement for foam mats, which are hard on sensitive skin and never seem to last, but it can also be used as a walkway, slideway and boarding platform for any residential feature. Low-profile inflatable dropstitch is easy to board from the water and provides play value all on its own. Easily connects to park features on both ends.



USERS ADULT / CHILD	MAX WEIGHT CAPACITY KG   LBS.	MINIMUM WATER DEPTH	MIN. DISTANCE AWAY M   FT	MIN. TOTAL ANCHOR WEIGHT *	ANCHOR WEIGHT	NUMBER OF ANCHOR WEIGHTS	ANCHOR RINGS	STRAPS	D-RINGS	WORKING PRESSURE
2   2	181 kg (400 lbs.)	0,96m (3.2ft)	3,0m (10 ft)	N/A	N/A	N/A	1	10 VARIO-LOCK	5   5	MAIN [1] 5.0 psi (0,345bar)

\*Weight recommendations are for anchoring in conditions that can have extreme weather, waves, etc.  
The weights recommended for anchoring in locations with calmer conditions such as lakes is approximately 30% less.  
The information contained within this document are recommendations ONLY. Actual weight used needs to be decided by an operator and/or owner based on particular conditions.  
© Copyright 2020 Aquaglide | Proprietary + Confidential









# C-DECK

Item Number: 585221133  
Dimensions: L 4.6' x W 3.5' x H 0.6'  
(1,42m L x 1,07m W x 0,20m H)

Box Dimensions: TBD

Included with each Recoil tramp and Ricochet bouncer, C-Deck is THE way to board these items. Much easier to access than a rope ladder, this platform provides cost-effective boarding for any residential feature.



USERS ADULT / CHILD	MAX WEIGHT CAPACITY KG   LBS.	MINIMUM WATER DEPTH	MIN. DISTANCE AWAY M   FT	MIN. TOTAL ANCHOR WEIGHT *	ANCHOR WEIGHT	NUMBER OF ANCHOR WEIGHTS	ANCHOR RINGS	STRAPS	D-RINGS	WORKING PRESSURE
1   1	114 kg (250 lbs.)	1,01m (3.3ft)	3,0m (10 ft)	N/A	N/A	N/A	0	2 VARIO-LOCK	2	MAIN [1] 0.8 psi (0,055bar)

\*Weight recommendations are for anchoring in conditions that can have extreme weather, waves, etc.  
The weights recommended for anchoring in locations with calmer conditions such as lakes is approximately 30% less.  
The information contained within this document are recommendations ONLY. Actual weight used needs to be decided by an operator and/or owner based on particular conditions.  
© Copyright 2020 Aquaglide | Proprietary + Confidential









# OG LOUNGE

Item Number: 585221110  
Dimensions: L 9.9' x W 9.9' x H 7.44'  
(3,05m L x 3,05m W x 2,27m H)

Box Dimensions: TBD

For those who take their fun seriously, O.G. means business. Part of Aquaglide's all-new Liquid Lounge series, the O.G. Lounge is a waterfront social lounge for family-sized groups. This lounge features barstool seating with raised table and cupholders beneath a shady cabana top. Accommodates up to 6 users. Use as a stand-alone or as a social space for mini-parks. Connects on up to two sides with Vario straps.



USERS ADULT / CHILD	MAX WEIGHT CAPACITY KG   LBS.	MINIMUM WATER DEPTH	MIN. DISTANCE AWAY M   FT	MIN. TOTAL ANCHOR WEIGHT *	ANCHOR WEIGHT	NUMBER OF ANCHOR WEIGHTS	ANCHOR RINGS	2-METER VERTICAL MOORING LINES	D-RINGS	WORKING PRESSURE
6   6	544 kg (1200 lbs.)	0,98m (3.3ft)	3,3m (0,98ft)	2000 kg (4400 lbs.)	500 kg (1100 lbs.) or equivalent holding	4	4	4 ITEM #: 58-5213008	7   0   7   0	Main [1] 6.0psi (0,414bar), Upper [2] 4.0psi (0,276bar), Base [3] 1.2psi (0,083bar), Table [4] 5.0psi (0,345bar), Seats [5] 1.5psi (0,103bar)

\*Weight recommendations are for anchoring in conditions that can have extreme weather, waves, etc.  
The weights recommended for anchoring in locations with calmer conditions such as lakes is approximately 30% less.  
The information contained within this document are recommendations ONLY. Actual weight used needs to be decided by an operator and/or owner based on particular conditions.  
© Copyright 2020 Aquaglide | Proprietary + Confidential









# OHANA LOUNGE

Item Number: 585221111  
Dimensions: L 9.9' x W 9.9' x H 7.44'  
(3,05m L x 3,05m W x 2,27m H)

Box Dimensions: TBD

Ohana is Hawaiian for family and the Ohana Lounge is a waterfront social lounge for family-sized groups. Part of Aquaglide's all-new Liquid Lounge series, Ohana Lounge features comfy couch seating, a table with cupholders and a mesh-bottom cooler cutout all under a shade tent for maxin' the relaxin'. Accommodates up to 6 users. Use as a stand-alone or as a social space for mini-parks. Connects on up to two sides with Vario straps.



USERS ADULT / CHILD	MAX WEIGHT CAPACITY KG   LBS.	MINIMUM WATER DEPTH	MIN. DISTANCE AWAY M   FT	MIN. TOTAL ANCHOR WEIGHT *	ANCHOR WEIGHT	NUMBER OF ANCHOR WEIGHTS	ANCHOR RINGS	2-METER VERTICAL MOORING LINES	D-RINGS	WORKING PRESSURE
6   6	544 kg (1200 lbs.)	0,98m (3.3ft)	3,3m (0,98ft)	2000 kg (4400 lbs.)	500 kg (1100 lbs.) or equivalent holding	4	4	4 ITEM #: 58-5213008	7   0   7   0	Main [1] 6.0psi (0,414bar), Upper [2] 4.0psi (0,276bar), Base [3] 1.2psi (0,083bar), Table [4] 5.0psi (0,345bar), Seats [5] 1.0psi (0,069bar)

\*Weight recommendations are for anchoring in conditions that can have extreme weather, waves, etc.  
The weights recommended for anchoring in locations with calmer conditions such as lakes is approximately 30% less.  
The information contained within this document are recommendations ONLY. Actual weight used needs to be decided by an operator and/or owner based on particular conditions.  
© Copyright 2020 Aquaglide | Proprietary + Confidential











# REVEL LOUNGE

Item Number: 585221114  
Dimensions: L 9.9' x W 9.9' x H 7.44'  
(3,05m L x 3,05m W x 2,27m H)

Box Dimensions: TBD

To revel means to ‘take great pleasure in’, and that is exactly what this lounge was meant for. Part of Aquaglide’s all-new Liquid Lounge series, Revel Lounge is a waterfront social lounge for family-sized groups. Featuring laid-back tatami-style seating around a family table, the Revel Lounge also has a mesh-bottom footwell and cooler cutout. The whole layout lives beneath a shady cabana top to keep everyone chill. Easily accommodates up to 6 users. Use as a stand-alone or as a social space for mini-parks. Connects on up to two sides with Vario straps.



USERS ADULT / CHILD	MAX WEIGHT CAPACITY KG   LBS.	MINIMUM WATER DEPTH	MIN. DISTANCE AWAY M   FT	MIN. TOTAL ANCHOR WEIGHT *	ANCHOR WEIGHT	NUMBER OF ANCHOR WEIGHTS	ANCHOR RINGS	2-METER VERTICAL MOORING LINES	D-RINGS	WORKING PRESSURE
6   6	544 kg (1200 lbs.)	0,98m (3.3ft)	3,0m (10 ft)	2000 kg (4400 lbs.)	500 kg (1100 lbs.) or equivalent holding	4	4	4 ITEM #: 58-5213008	7   0   7   0	Main [1] 6.0psi (0,414bar), Upper [2] 4.0psi (0,276bar), Base [3] 1.2psi (0,083bar), Table [4] 5.0psi (0,345bar), Seats [5] 2.0psi (0,138bar)

\*Weight recommendations are for anchoring in conditions that can have extreme weather, waves, etc.  
The weights recommended for anchoring in locations with calmer conditions such as lakes is approximately 30% less.  
The information contained within this document are recommendations ONLY. Actual weight used needs to be decided by an operator and/or owner based on particular conditions.  
© Copyright 2020 Aquaglide | Proprietary + Confidential









# SOLARIUM

Item Number: 585221115  
Dimensions: L 10' x W 6.56' x H 0.5'  
(3,05m L x 2,0m W x 0,15m H)

Box Dimensions: TBD

Part of Aquaglide's all-new Liquid Lounge series, Solarium is a waterfront social lounge for family-sized groups. Some prefer to bask in the sun while others take their beverages in the shade, thank you very much. Connecting Solarium to one or more of our shaded lounges extends the useable space and adds a sun room for those who seek it. Use as a stand-alone or as a gathering space or hub for mini-parks. Connects to Liquid Lounge items on up to two sides, and standard Aquaglide park items on up to four sides using Vario straps.



USERS ADULT / CHILD	MAX WEIGHT CAPACITY KG   LBS.	MINIMUM WATER DEPTH	MIN. DISTANCE AWAY M   FT	MIN. TOTAL ANCHOR WEIGHT *	ANCHOR WEIGHT	NUMBER OF ANCHOR WEIGHTS	ANCHOR RINGS	2-METER VERTICAL MOORING LINES	STRAPS	D-RINGS	WORKING PRESSURE
5   5	454 kg (1000 lbs.)	0,98m (3.3ft)	3,0m (10 ft)	250 kg (550 lbs.)	250 kg (550 lbs.)	1	1	1 ITEM #: 58-5213008	14 Vario-Lock Straps	7   5   7   5	Main [1] 6.0psi (0,414bar)

\*Weight recommendations are for anchoring in conditions that can have extreme weather, waves, etc.  
The weights recommended for anchoring in locations with calmer conditions such as lakes is approximately 30% less.  
The information contained within this document are recommendations ONLY. Actual weight used needs to be decided by an operator and/or owner based on particular conditions.  
© Copyright 2020 Aquaglide | Proprietary + Confidential








**Aquaglide**



# RESIDENTIAL MINI PARKS (RMP)


## RMP 1

C-deck  
OG Lounge  
Half Deck 7.5  
Ricochet 12.0  
12-14 Slide  
50/50 Log




## RMP 4

Ohana Lounge Full  
Deck 15.0 Velocity  
10.0  
Half Deck 7.5



## RMP 2


Ohana Lounge Full  
Deck 15.0 Spire  
6.8  
Launch Bag



## RMP 5


C-deck  
Ohana Lounge  
2 x Half Deck 7.5  
Lazy Lounge

12-14 Slide  
50/50 Log  
Recoil Tramp 14.0  
Launch Bag




## RMP 3

Solarium  
Revel Lounge Half  
Deck 7.5  
OG Lounge



## RMP 6

Revel Lounge  
2 x Half Deck 7.5  
Spire 6.8  
Velocity 10.0





# MOORING



**Horizontal Mooring Line, Pair** - Two complete heavy duty mooring lines for horizontal (pool) mooring. 10 foot (3,04m) length. 3000lb (1360kg) break strength, all components #316 Stainless steel. Easily add optional rope extensions if necessary - no knots required! Includes 2pc heavy duty bungies, 2pc #316 SS quick link, 2pc 1-foot mooring ropes, 2pc line floats and 2pc #316 SS snap hooks.



## Vertical Mooring Line

One complete heavy duty mooring line for 4 foot (1,22m) water depth. 3000lb (1360kg) break strength, all components #316 Stainless steel. Easily add optional rope extensions to reach desired water depth - no knots required! Includes 1pc heavy duty bungee, 1pc #316 SS quick link, 1pc 1-foot mooring rope, 1pc line float and 1pc #316 SS snap hook.

## 1-Foot Mooring Rope

1 foot (31cm) mooring rope extension. 4000lb PE rope eye spliced at both ends for easy attachment. Set of 10pc.

## 5-Foot Mooring Rope

5 -foot (152cm) mooring rope extension. 4000lb PE rope eye spliced at both ends for easy attachment. Set of 10pc.

## Complete Mooring Line, 19ft (5,79m)

One complete heavy duty mooring line for up to 19 foot (5,79m) water depth. Easily adjusts to required depth - no knots required! 3000lb (1360kg) break strength, all components #316 Stainless steel. Includes 1 heavy duty bungies, 1pc #316 SS quick link, 6pc 1-foot mooring ropes, 2pc 5-foot mooring ropes 1pc line float and 1pc #316 SS snap hook.



# PUMPS

**Bellows Foot 4.4 Pump** - Excellent foot pump for low-pressure kayaks and general use. Well-made pump with stainless binding and inflate/deflate options. Air flow 6.5L, maximum pressure 4.4psi (300mb). Includes 5ft (1,5m) hose with Boston and stem valve fittings.



All-Purpose Kayak

**Ultralight Hand 4.4 Pump** - Remarkably light and still compact, this Ultralight Hand Pump can accelerate inflation of ultralight boats and other outdoor gear. Ideally suited for small, low-pressure boats and Boston valves. Airflow 1L, maximum pressure 4.4psi (300mb). Includes 2.3ft (0,70m) hose, Boston valve and stem fitting.



All-Purpose Kayak

**Kayak Hand 10 Pump** - A very capable, compact sized single/double-action pump with built-in gauge to 10psi (680mb), ideal for all Aquaglide kayaks. Capacity 2\*1.5L. Aluminum shaft, folding feet. Includes 4ft (1,25m) hose, HR, Boston valve and stem fittings.



All-Purpose Kayak

**SUP HP Hand 29 Pump** - Robust single/double-action high-pressure pump with 29psi (2bar) capability, aluminum shaft and folding feet; perfect for modern iSUPs. Capacity 2\*2L. Includes 4ft (1,25m) hose with HR fitting.



SUP

**12v Turbo 2.3 Pump** - The 12v Turbo is an extremely powerful pump for 12 volt battery. Ideal for low-pressure kayaks and general use, this pump is high volume @ low pressure. Inflate/ deflate, 2.3 psi (0,16 bar) maximum. 12v alligator clip attachment only, 9ft (2,74m) cable. Air flow 35cfm (990L/min). 3.2ft (1m) hose with Stem, Boston, Rapid Inflate, Fish Eye, and HR adaptors.



All-Purpose Kayak Residential

**Accelerator HP 12v 22 Pump** - Ideally suited for modern SUPs and kayaks with high pressure dropstitch. This two-stage, digital pump makes quick work of inflating SUPs up to 22psi (1,5bar) with auto shut-off. Air flow 350L/min (stage 1), 70L/min (stage 2). Uses either 12v outlet or clip attachment. Includes 4ft (1,25m) hose with HR, Boston valve and stem fittings.



Kayak SUP Residential

**Tornado 110v 2.5 Pump** - A smaller version of the Hurricane pump, the Tornado 110v 2.5 is ideally suited for kayaks and small residential aquaparks. Maximum 2.5psi (0,17bar). Air flow 56cfm (1600L/min). Includes 4ft (1,25m) of 25mm hose with HR, Boston and Stem fittings.



All-Purpose Kayak Residential

**Hurricane 110v 3.6 Pump** - Quickly inflates kayaks, residential aquaparks and small commercial parks. Maximum 3.6psi (0,25 bar). Air flow 70cfm (2000L/min). Includes 4ft (1,25m) of 40mm hose with HR, Boston and Stem fittings.



All-Purpose Kayak Residential Commercial

**Aquapark 110v 7.3 Pump** - High capacity pump for commercial aquapark. Twin motors provide additional capacity and max pressure of 7.3psi, ideal for dropstitch connectors. Air flow 1200L/min (stage 1) and 2000L/min (stage 2). Includes 4ft (1,25m) of 40mm hose with HR and Boston fittings.



Residential Commercial

**Extension Hose for Aquapark Pump** - This is a 33ft (10,0m) 40mm hose extension for the Aquapark Pump (110v or 230v) 7.3. Allows commercial park operators or residential customers to easily top off aquapark items while keeping A/C electrical pumps away from the water. Can also be used with Hurricane (110v or 230v) 3.6 pumps. Includes threaded attachments at both ends, HR and Boston fittings.



Residential Commercial





VELOCITY SLIDE 10.0



VELOCITY SLIDE 6.0



SPIRE 6.8



LAZY LOUNGE



RECOIL TRAMP 17.0




RECOIL TRAMP 14.0




RICOCHET BOUNCER 16.0



RICOCHET BOUNCER 12.0



RICOCHET BOUNCER 12.0  
AQUAPARK



RICOCHET BOUNCER 16.0  
AQUAPARK



FULL DECK 15.0



HALF DECK 7.5



C-DECK




50/50 LOG



SOAKER LOUNGE



12-14 SLIDE



16-17 SLIDE



LAUNCH BAG